	W
_	١.

	Application No.	Applicant(s)	
•	10/789,591	MAKI ET AL.	
Notice of Allowability	Examiner	Art Unit	
	VIKANSHA S. DWIVEDI	3746	
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this a or other appropriate communication IGHTS. This application is subject	pplication. If not included on will be mailed in due course. THIS	.
1. This communication is responsive to <u>10/31/2007</u> .			
2. The allowed claim(s) is/are <u>1-8 and 10</u> .			
 Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received:	been received. been received in Application No.		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	IENT of this application.		
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXAMINE es reason(s) why the oath or decla	R'S AMENDMENT or NOTICE OF ration is deficient.	
5. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.		
(a) I including changes required by the Notice of Draftspers	son's Patent Drawing Review (PT0	0-948) attached	
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date			
(b) including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the	Office action of	
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the draw he header according to 37 CFR 1.12	vings in the front (not the back) of 1(d).	
6. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT	SIT OF BIOLOGICAL MATERIAL FOR THE DEPOSIT OF BIOLOGI	must be submitted. Note the CAL MATERIAL.	
Attachment(s)		Detent Application	
1. Notice of References Cited (PTO-892)	 5. ☐ Notice of Informal 6. ☐ Interview Summa 		
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	Paper No./Mail D	vate	
3. Information Disclosure Statements (PTO/SB/08),	7. 🛛 Examiner's Amen	dment/Comment	
Paper No./Mail Date 3/16/2005 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛭 Examiner's Stater	nent of Reasons for Allowance	
oi biological ivialerial	9.	D. A.	•

Application/Control Number: 10/789,591

Art Unit: 3746

DETAILED ACTION

Election/Restrictions

Applicant's election without traverse of the plunger pump species of Figure 4 in the reply filed on 10/31/2007 is acknowledged.

Applicant amended Claim 1 and the title of the application to specify a plunger pump.

Applicant cancelled Claim 9. Applicant also amended dependent Claim 10.

Applicants amendments submitted with the reply of 10/31/2007 are acknowledged and entered.

Oath/Declaration

It was not executed in accordance with either 37 CFR 1.66 or 1.68. Application has joint inventors and the oath is not signed by both inventors.

Applicant is now required to submit a substitute declaration or oath to correct the deficiencies set forth above. The substitute oath or declaration must be filed within the THREE MONTH shortened statutory period set for reply in the "Notice of Allowability" (PTO-37). Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136. Failure to timely file the substitute declaration (or oath) will result in ABANDONMENT of the application. The transmittal letter accompanying the declaration (or oath) should indicate the date of the "Notice of Allowance" (PTOL-85) and the application number in the upper right hand corner.

- Application/Control Number: 10/789,591

Art Unit: 3746

EXAMINER'S AMENDMENT

The application has been amended as follows: Claim 1 line 12 "one of a plunger and a diaphragm" seems to be in error for - -plunger- -

Allowable Subject Matter

Claims 1-8 and 10 are allowed.

The following is an examiner's statement of reasons for allowance: Prior art does not teach in combination with the other limitation of the independent claim first and second valve assemblies fitted individually into the first and second transversely extending pockets, each of the first and second valve assemblies comprising a tubular valve casing supporting an inlet poppet valve and an outlet poppet valve in spaced apart relation in opposed ends of a tubular casing, the tubular casing of each of the first and second valve assemblies each including a central opening generally aligned with the plunger employed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to VIKANSHA S. DWIVEDI whose telephone number is (571)272-7834. The examiner can normally be reached on M-F, 8-4.

· Application/Control Number: 10/789,591

Art Unit: 3746

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Devon Kramer can be reached on 571-272-7118. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Muc

VSD